

| What is Dynamsoft Barcode Reader?

Dynamsoft Barcode Reader SDK is a software development kit that enables developers to integrate robust barcode reading capability into mobile, desktop, and web applications. It leverages advanced barcode reading algorithms to provide fast, accurate, and reliable barcode scanning capabilities across various platforms.



Quickly Integrate Barcode Scanning Across All Platforms with DBR

JavaScript (Web)

Enable real-time localization and decoding in a web browser on a mobile or laptop. With just a few lines of JavaScript code, any camera-equipped device can be transformed into a barcode and QR code scanner.

Mobile


Embed robust QR code and barcode scanning capabilities into your native iOS and Android apps.

Desktop & Server

Easily integrate reliable barcode scanning into your desktop and server applications.

Supported Platforms

Web: Platform Support



Desktop & Server: Supported Programming Languages



Mobile: Platform and Framework Support



Android 5 and above (Android 7 and higher recommended)
Supported ABI: armeabi-v7a, arm64-v8a, x86, x86_64



iOS 11 and above (iOS 13 and higher recommended); iPhone 6 or higher recommended
Supported ABI: arm64 and x86_64

Why Choose DBR

Dynamsoft Barcode Reader SDK is trusted by leading organizations worldwide because of its unmatched performance across various platforms and applications.



Unparalleled Barcode Scanning Speed:

Dynamsoft Barcode Reader SDK tackles high-speed workflows by processing over 500 barcode scans per minute.



Customization & Flexibility:

Easily customizable for your specific use case, Dynamsoft Barcode Reader SDK seamlessly integrates into your application to offer powerful barcode reading.



Scans Challenging Barcodes & QR Codes:

Leveraging reliable enterprise-grade barcode detection algorithms, Dynamsoft Barcode Reader SDK can easily read the toughest barcodes, such as crumpled, distorted, incomplete, or dense, in the most challenging scenarios.



Incomparable Barcode Reading Rate:


Dynamsoft Barcode Reader SDK outperforms six QR Code libraries, recognizing 34.9% more barcodes than the industry's second-best, and ranks first in a test of 1000+ QR Codes across 16 image quality categories.

Multiple Barcode Scanning


Dynamsoft Barcode Reader SDK is designed to detect and decode multiple barcodes of different symbologies in a single scan.

Single Symbology Multiple Barcodes:

Scan multiple barcodes of the same type in one go for streamlined processing.







[illegible]

Онлайн регистрация Аэрофлота – Посадочный талон

<https://checkin.sabre.com/aeroflot/checkin.do>

ISSUED BY Aeroflot				BOARDING PASS /ПОСАДОЧНЫЙ ТАЛОН		ISO
2D BAR CODE		ISS.AGT.ID WCI/SVO	NAME OF PASSENGER/ФАМИЛИЯ ПАССАЖИРА	DATE OF ISSUE/ДАТА ВЫДАЧИ 25JUL09	PLACE OF ISSUE/МЕСТО ВЫДАЧИ Moscow	RU
		From /ИЗ: MOSCOW /SVO		CARRIER/FLIGHT /ПЕРЕВОЗЧИК/РЕЙС SU 203		PNR CODE/КОД БРОНИРОВАНИЯ FYFHTM
		To /В: HELSINKI VANTAA /HEL		CLASS/DATE/КЛАСС/ДАТА Y 25JUL09	TIME/Время 17:10	
		SU50212013		Gate /ВЫХОД TIME /ВРЕМЯ ПОСАДКИ 16:30	BOARD Seat /МЕСТО 07C	SEQ NO. SEQ/5
		ELECTRONIC TKT		5552150568211		
		HAVE A NICE TRIP! СЧАСТЛИВОГО ПУТИ!				

- Посадка на рейс заканчивается за 10 минут до времени вылета. Не забудьте, что в аэропорту Вам предстоит пройти контроль безопасности, а при международном полете – таможенные и пограничные формальности. По прибытии в аэропорт уточните номер выхода на посадку!
- При посадке в самолет Вам необходимо предъявить обе части данного посадочного талона, а так же паспорт и документы для въезда в страну назначения (транзита).

ISSUED BY Aeroflot				BOARDING PASS /ПОСАДОЧНЫЙ ТАЛОН		ISO
2D BAR CODE		ISS.AGT.ID WCI/SVO	NAME OF PASSENGER/ФАМИЛИЯ ПАССАЖИРА	DATE OF ISSUE/ДАТА ВЫДАЧИ 25JUL09	PLACE OF ISSUE/МЕСТО ВЫДАЧИ Moscow	RU
		From /ИЗ: MOSCOW /SVO		CARRIER/FLIGHT /ПЕРЕВОЗЧИК/РЕЙС SU 203		PNR CODE/КОД БРОНИРОВАНИЯ FYFHTM
		To /В: HELSINKI VANTAA /HEL		CLASS/DATE/КЛАСС/ДАТА Y 25JUL09	TIME/Время 17:10	
		SU50212013		Gate /ВЫХОД TIME /ВРЕМЯ ПОСАДКИ 16:30	BOARD Seat /МЕСТО 07C	SEQ NO. SEQ/5
		ELECTRONIC TKT		5552150568211		
		HAVE A NICE TRIP! СЧАСТЛИВОГО ПУТИ!				



Peruslippu

Helsinki Lentoasema - Jyväskylä

Lippu on voimassa vain lippuun merkityllä junavuorolla.

Muutos ennen junan lähtöä 5 € ja erotus kalliimpaan/ei hyvitystä edullisempaan lippuun.

Peruutus mahdollinen peruutusturvan ostaneille

Perjantai 08.12.2017

1 13:21 Helsinki lentoasema →

↓ 13:29 Tikkurila

Lähijuna P, Peruslippu, Eko (2.lk)

Aikuinen



A3FYHGQ=

Vaihtoaika: 11 min.

Perjantai 08.12.2017

1 13:40 Tikkurila →

↓ 16:40 Jyväskylä

S 145, Peruslippu, Ekstra (1.lk) ,
Istumapaikka,

Vaunu	Paikka
1 alakerta	45 ikkuna

Aikuinen



A3FYHHA=

Istumapaikka Ekstra-luokassa 12,00 €

Hinta yhteensä: **49,00 €**

Alv	10%	19.11.2017, klo 20:31
Veroton	44,55 €	Tilausnumero: 1418070840513
Vero	4,45 €	Maksutapa: Lasku
Verollinen	49,00 €	


VR-YHTYMÄ OY, Y-tunnus 1003521-5, Kotipaikka Helsinki

LISÄÄ MATKA KALENTERIIN +

Multiple Symbolologies Multiple Barcodes

Read multiple barcodes of different symbolologies simultaneously to handle diverse data capture needs.







JUNALIPPU/BILET I REZERVIROVANIE 0010 VR /TICKET + RESERVATION

19.10.2015, maanantai 22:29

Thank you for travelling with VR.

Muutokset 6 tuntia ennen lähtöä. Ryhmille omat ehdot.

Izmeneniya dopuskajutsja do 6 tšasov do otpraveniya poezda.Dlja grupp - spetsialnyje usloviya.

Rebooking up to 6 hours before the departure.Separate conditions for groups.

2 Adult FIN-RUS/Vzroslyj Rossija - Finljandija/Adult FIN-RUS

2 Adult FIN-RUS(72)

Mistä/Ot/From

Moskva-Okt

Mihin/Do/To

Helsinki

Juna/Poezd/Train

32 Tolstoi

Päivä/Data/Date

13.11.2015

Päivä/Data/Date

14.11.2015

Luokka/Klass/Class

1 lk./1st cl./1 klass

Klo/Vremja/Time

23:10

Klo/Vremja/Time

12:57



- ARHVG DY = -

Vaunu/Vagon/Coach	Paikat/Mesta/Places	Sijainti/Polozhenie/Location
015	7 D	Lower bed
	8 D	Lower bed

BUSINESS

HINTA/TSENA/PRICE EUR***343,08**

VAT	Price excl tax	Tax	Price incl tax
0%	343,08	0,00	343,08

Order Number: **1458044348761**

Ticket data to be sent also to email address

olga.gouseva@finnoriga.com

Alk. 1.7. sis. lähijunayhteys lentoasemalle/-lta voim. 80 min kaukojunan lähtö-/ saapumisajasta.

From 1.7 valid on local trains to/from airport 80 mins from arrival/departure of long distance

Have a nice journey and welcome again to the online store!

VR Passenger Services

VR GROUP Ltd

Business Identity Code 1007149-4, Domicile Helsinki

VKP

264

200936381756

1458044348761

19.10.2015 22:29

Kuljettaja/Perevozchik/Carrier **0010 VR**

0010/0020



+



0030 8021

ИНН

КПП 770401001 Стр. 0002



80e4f9c7 50c003a2 f83b6d9d 83ba801e

Раздел 1. Сумма налога, подлежащая уплате в бюджет (возмещению из бюджета), по данным налогоплательщика


Показатели	Код строки	Значения показателей
Код по ОКАТО	010	45286590000
Код бюджетной классификации	020	18210301000011000110
Сумма налога, исчисленная к уплате в бюджет в соответствии с пунктом 5 статьи 173 Налогового кодекса Российской Федерации (руб.)	030	
Сумма налога, исчисленная к уплате в бюджет в соответствии с пунктом 1 статьи 173 Налогового кодекса Российской Федерации (руб.) (величина разницы суммы строк 230 раздела 3, 020 раздела 6 и суммы строк 240 раздела 3, 010 раздела 4, 010 раздела 5 (графы 3), 010 раздела 5 (графы 5), 030 раздела 6 больше или равна нулю)	040	382923
Сумма налога, исчисленная к возмещению из бюджета в соответствии с пунктом 1 статьи 173 Налогового кодекса Российской Федерации (руб.) (величина разницы суммы строк 230 раздела 3, 020 раздела 6 и суммы строк 240 раздела 3, 010 раздела 4, 010 раздела 5 (графы 3), 010 раздела 5 (графы 5), 030 раздела 6 меньше нуля)	050	

+

Достоверность и полноту сведений, указанных на данной странице, подтверждаю:

(подпись)

(дата)



+

+

Saajan tilinumero	IBAN		BIC	
	NORDEA	FI77 1660 3000 1168 09	NDEAFIHH	
	DANSKE BANK	FI49 8000 1271 0662 51	DABAFIHH	
	OP	FI81 5000 0121 4213 32	OKOYFIHH	
Saaja	Verohallinto		Ennakkovero Verovuosi 2017 02.12.2016	
Maksaja			Vero	
TILISIIRTO 7247/x 10.16			Määrä, jolle viivekorko lasketaan	
Allekirjoitus			1 120,52	
Tiliä nro			Viitenro	
			RF02 5017 2183 9266 3091 0290	
			Euro	
			1 120,52	
Eräpäivä			23.02.2017	
			Euro	
			1 120,52	
Barcode			Maksu välitetään saajalle maksujenvälityksen ehtojen mukaisesti ja vain maksajan ilmoittaman tilinumeron perusteella.	
			1129,07	
Saajan tilinumero	IBAN		BIC	
	NORDEA	FI77 1660 3000 1168 09	NDEAFIHH	
	DANSKE BANK	FI49 8000 1271 0662 51	DABAFIHH	
	OP	FI81 5000 0121 4213 32	OKOYFIHH	
Saaja	Verohallinto		Ennakkovero Verovuosi 2017 02.12.2016	
Maksaja			Vero	
TILISIIRTO 7247/x 10.16			Määrä, jolle viivekorko lasketaan	
Allekirjoitus			1 120,52	
Tiliä nro			Viitenro	
			RF23 5017 2183 9266 3091 0494	
			Euro	
			1 120,52	
Eräpäivä			23.04.2017	
			Euro	
			1 120,52	
Barcode			Maksu välitetään saajalle maksujenvälityksen ehtojen mukaisesti ja vain maksajan ilmoittaman tilinumeron perusteella.	
			06.06.2017	
Saajan tilinumero	IBAN		BIC	
	NORDEA	FI77 1660 3000 1168 09	NDEAFIHH	
	DANSKE BANK	FI49 8000 1271 0662 51	DABAFIHH	
	OP	FI81 5000 0121 4213 32	OKOYFIHH	
Saaja	Verohallinto		Ennakkovero Verovuosi 2017 02.12.2016	
Maksaja			Vero	
TILISIIRTO 7247/x 10.16			Määrä, jolle viivekorko lasketaan	
Allekirjoitus			1 120,52	
Tiliä nro			Viitenro	
			RF44 5017 2183 9266 3091 0698	
			Euro	
			1 120,52	
Eräpäivä			23.06.2017	
			Euro	
			1 120,52	
Barcode			Maksu välitetään saajalle maksujenvälityksen ehtojen mukaisesti ja vain maksajan ilmoittaman tilinumeron perusteella.	

Auchan Sokolniki

итого: 1303,56

Количество: 33

2018-11-25 19:11:13

оператор: 245

станция: EST135



9901513535861



Талон не является чеком оплаты

Krankenkasse bzw. Kostenträger

Name, Vorname des Versicherten geb. am

Kassen-Nr. Versicherten-Nr. Status

Betriebsstätten-Nr. Arzt-Nr. Datum

Diagnosen

Abnahmedatum Abnahmezeit

Anforderungsschein für Laboratoriums-
untersuchungen bei Laborgemeinschaften

☐ Kurativ ☐ Präventiv ☐ bei belegärztl. Behandlung ☐ Unfall, Unfallfolgen

ggf. Kennziffer

Geschlecht ☐ W ☐ M

10ABF

0.1 169017 4

☐ Befund eilt	1	Serum Vollblut	Glukose
☐ EDTA	1	☐ alkalische Phosphatase 13	☐ Eiweiß gesamt 26
☐ großes Blutbild	2	☐ Amylase 14	☐ Kreatinin Clearance 40
☐ kleines Blutbild	3	☐ ASL 15	☐ Gamma GT 27
☐ HbA1c	4	☐ Bilirubin direkt 16	☐ Glukose 28
☐ Retikulozyten	5	☐ Bilirubin gesamt 17	☐ LDH 41
☐ Blutsenkung	6	☐ Calcium 18	☐ LDL-Cholesterin 42
☐ Diff. Blutbild (Ausstrich)	7	☐ Cholesterin 19	☐ Lipase 43
☐ Citrat	8	☐ Cholinesterase 20	☐ Natrium 44
☐ Quick	9	☐ CK 21	☐ OP-Vorbereitung (32125) 45
☐ Quick unter Marcumar-Therapie	10	☐ CK-MB 22	☐ Phosphat, anorganisches 46
☐ Thrombinzeit	10	☐ CRP 23	☐ Transferrin 47
		☐ Eisen 24	☐ Triglyceride 48
		☐ Kalium 38	☐ TSH basal 49
			☐ Glukose 1 51
			☐ Glukose 2 52
			☐ Glukose 3 53
			☐ Glukose 4 54
			☐ Status 55
			☐ Mikroalbumin 56
			☐ Schwangerschaftstest 57
			☐ Glukose 58
			☐ Amylase 59
			☐ Sediment 60

Частное предприятие «Принтбук».

Свидетельство о государственной регистрации издателя, изготовителя, распространителя печатных изданий

Ул. Якубовского, д. 51, пом. 1, 220018, г. Минск.

Белорусско-германское совместное предприятие «Полиграфхауз» в форме общества с ограниченной ответственностью

Свидетельство о государственной регистрации издателя, изготовителя, распространителя печатных изданий

Ул. Якубовского, д. 51, 220018, г. Минск.

ISBN 978-985-579-265-0 (ООО «Кузьма»)

ISBN 978-985-7178-73-5 (ЧП «Принтбук»)

© Пу

© ОО

6+

kuzma.by

ISBN 978-985-579-265-0

9 789855 792650

Брошюра: ПРОПИСЬ. КАЛЛИГРАФИЧЕСКОЕ НАПИСАНИЕ ЦИФР И БУКВ

Изготовитель: ЧП «Принтбук».

Адрес: Ул. Якубовского, д. 51, пом. 1, 220018, г. Минск, Республика Беларусь

Дата изготовления: 14.03.2018.

Срок службы: неограничен.

Lenovo

inside™



ENERGY STAR

CPU: Intel I7-7700HQ 2.8G

RAM: 16G

HDD: 2T

SSD: 256G

SSHD: --

LAN: 100M/1000M

ODD: --

Display: 15.6"FHD IPS

Battery: 3Cell

OS: Windows 10 Home

EAN CODE



0 191376 651924

UPC CODE



1 91376 65192 4

Color: BLACK

Lenovo Y520-15IKBN

Model Name: 80WK

Notebook LN Y520-15IKBN I7 16 2T 256 10H

(S)Serial Number: PF0UFLRH



S/N: PF0UFLRH MO: PF9XB7625009




(1S)MTM: 80WK00F9US S/N: PF0UFLRH



ЗАО "ЧИП и ДИП"
 ОГРН 1027700271807
 ИНН/КПП 7729108750/770201001
 Юр. адрес: 129110 г. Москва ул. Гиляровского, д.39, стр.1







Единая справочная: +7 (495) 544-00-09
 E-mail: sales@chipdip.ru

5 от 31.03.2016


 33 00046 09502 0

наименование товара	Кол-во	Цена (руб.)	Сумма (руб.)
В, 105°C, ТК 10X13, электролитический алю	2	25,00	50,00
В, 105°C, 10x20, ор электролитический	8	29,00	232,00
В, 105°C, Конденсатор ый /Тайвань	2	51,00	102,00

всего за товар (в том числе НДС 18%):
 0 копеек

384,00

Подпись _____





Read Challenging Barcodes with Custom Scan Parameters

Dynamsoft Barcode Reader offers over 100 configurable parameters to tailor scan settings for various scenarios.




Code 39 Extended with Zero-Margin:

Accurately reads extended Code 39 barcodes with no margin space.


Inverted DPM Codes:

Reads Direct Part Marking (DPM) codes that are inverted when etched onto part surfaces.




QR Codes – Curved, Damaged, High-Version

Efficiently scans micro, curved, damaged, or higher-version QR codes with more data modules.




DataMatrix- Tiny, Low Contrast, with Red Striped Background

Decodes DataMatrix barcodes that are tiny, low contrast, or against a red-striped textured background.



Barcode with Shadow:

Quickly decodes barcodes obscured by shadows.





Poorly Printed, Blurry Barcodes:

Successfully scans poorly printed or blurry barcodes.





Off-screen:

Captures and decodes barcodes displayed on flat screens, such as mobile phones, LEDs, LCDs, or TVs.




Tiny Barcodes:

Reads tiny barcodes on small items with high precision.






Incomplete:

Effectively scans barcodes that are partially damaged or incomplete.




🌀 Barcodes in Strong Light:

Efficiently scans barcodes under strong lighting conditions, such as retail stores or highly lit events.



Barcodes in Low Lights:

Reads barcodes in low-light environments.




Crumpled Barcodes:

Decodes barcodes that are crumpled or wrinkled, often found on product packaging.




Dense Barcodes:

Scans barcodes that are dense and difficult to read by standard scanners.



Reversed Barcode:

Accurately reads barcodes that are printed in reverse or mirrored orientation.



Barcodes in Different Industries

Dynamsoft Barcode Reader SDK enhances tracking and inventory management by efficiently scanning barcodes on products and components, improving overall operations.

Retail:

Streamlines checkout and inventory processes through quick and accurate barcode scanning.



Healthcare:

Improves patient care and medication management by reliably scanning barcodes on medical records and prescriptions.



Air Travel:

Improves patient care and medication management by reliably scanning barcodes on medical records and prescriptions.



Benchmark & Accuracy Comparison

Accuracy is crucial for barcode reading SDKs, defined by the correct detection and return of barcode values in an image. Choosing an engine with optimal speed, accuracy, robustness, and support is vital for a successful barcode scanner application.



1D Barcode Scanning Accuracy Benchmark and Comparison

Evaluation and comparison of the precision of different leading barcode scanners in reading 1D barcodes. Here are the results.

Datasets Used for Comparison

Dataset	Artelab Medium Barcode 1D Collection	Muenster BarcodeDB	DEAL Lab's Barcode Dataset
Symbologies	EAN13	EAN13, UPC-A	EAN13
Include images with multiple barcodes	No	No	No
Number of images	430	1054	2000
Image quality	Barcodes are relatively large compared to the image size	Barcodes are relatively large compaed to the image size	Resolutions range from 400x217 to 3480x4640
Web page	http://artelab.dista.uninsubria.it/downloads/datasets/barcode/medium_barcode_1d/medium_barcode_1d.html	https://www.uni-muenster.de/PRIA/en/forschung/index.shtml	https://www.resl.kaist.ac.kr/doc/datasets

Performance Test Results: Artelab Medium Barcode 1D Collection

Dataset 1

SDK	Dynamsoft Barcode Reader v9.6.10	Commercial SDK A v5.19	ZXing-CPP v1.2.0	pyZbar v0.1.8
Correctly recognizedv	215 out of 215	197 out of 215	177 out of 215	193 out of 215
Misread	0	0	1	1
Reading rate	100%	91.63%	82.36%	89.77%
Precision	100%	100%	99.44%	99.48%

Dataset 2

SDK	Dynamsoft Barcode Reader v9.6.10	Commercial SDK A v5.19	ZXing-CPP v1.2.0	pyZbar v0.1.8
Correctly recognizedv	176 out of 215	169 out of 215	22 out of 215	30 out of 215
Misread	0	1	2	8
Reading rate	81.86%	79.07%	10.23%	13.95%
Precision	100%	100%	91.67%	78.95%

Performance Test Results: Muenster BarcodeDB

SDK	Dynamsoft Barcode Reader v9.6.10	Commercial SDK A v5.19	ZXing-CPP v1.2.0	pyZbar v0.1.8
Correctly recognizedv	1022 out of 1054	984 out of 1054	792 out of 1054	744 out of 1054
Misread	0	0	1	34
Reading rate	96.96%	93.26%	75.14%	70.59%
Precision	100%	100%	99.87%	95.63%

Performance Test Result: DEAL Lab’s Barcode Dataset

SDK	Dynamsoft Barcode Reader v9.6.10	Commercial SDK A v5.19	ZXing-CPP v1.2.0	pyZbar v0.1.8
Correctly recognizedv	1839 out of 2000	1221 out of 2000	1264 out of 2000	1452 out of 2000
Misread	0	0	26	9
Reading rate	96.95%	61.05%	63.20%	72.60%
Precision	100%	100%	97.98%	99.38%



Conclusion

Results show that the Dynamsoft Barcode Reader achieves the highest reading rate across all three datasets and excels at reading more blurred barcodes.



QR Code Reading Benchmark and Comparison

To Assess the accuracy and performance of various barcode scanners for QR code decoding. Below are the findings.

Performance Test Results: Detection Results (Reading Rate in Percentage)

Category	Dynamsoft	BoofCV	ZXing	ZBar	OpenCV WeChat	Commercial SDK A	Commercial SDK B
blurred	66.15	38.46	21.54	35.38	46.15	33.85	36.92
brightness	81.18	78.82	52.94	50.59	23.53	52.94	51.76
bright_spots	43.3	27.84	20.62	19.59	24.74	8.25	29.9
close	95	100	5	12.5	67.5	22.5	25
curved	70	56.67	31.67	35	43.33	31.67	36.67
damaged	51.16	16.28	20.93	25.58	30.23	27.91	27.91
glare	84.91	32.08	20.75	35.85	58.49	43.4	20.75
high_version	97.3	40.54	5.41	27.03	18.92	78.38	35.14
lots	100	99.76	82.86	18.1	0	14.52	97.14
monitor	100	82.35	0	0	94.12	11.76	5.88
nominal	93.59	89.74	53.85	66.67	71.79	64.1	65.38
noncompliant	92.31	3.85	15.38	50	76.92	61.54	11.54
pathological	95.65	43.48	34.78	65.22	91.3	0	78.26
perspective	62.86	80	37.14	42.86	42.86	65.71	34.29
rotations	99.25	96.24	42.11	48.87	32.33	99.25	69.17
shadows	100	85	65	90	60	90	95

Speed Performance Test Results

Engine	Speed in milliseconds
Dynamsoft	195.01ms
Commercial SDK A	1400.43ms
Commercial SDK B	346.27 ms
ZXing	179.57ms
ZBar	157.31ms
BoofCV	104.95ms
OpenCV Wechat	757.71ms



Conclusion

Dynamsoft Barcode Reader demonstrates the best QR code reading rate on the test set and offers remarkable speed.



DataMatrix Reading Benchmark and Comparison

Comparison of the effectiveness of different scanners in reading DataMatrix barcodes. Here are the results.

Reading Rate Performance Test Results

Engine	Reading Rate in Percentage
Dynamsoft	100%
LibDMTX	86.61%
ML Kit	71.43%
Apple Vision	42.86%
ZxingCPP	17.86%


Reading Rate



Speed Performance Test Results

Engine	Speed in milliseconds
Dynamsoft	473.56ms
LibDMTX	3579.77ms
ML Kit	57.25ms
Apple Vision	191.02ms
ZxingCPP	14.89ms

Average Time



Conclusion

Dynamsoft Barcode Reader can decode all Data Matrix codes, unlike other SDKs. It also maintains a good balance between reading rate and runtime. While libdmtx has a high reading rate, it is slow in decoding, and ZxingCPP is fast but lacks accuracy.




PDF417 Reading Benchmark and Comparison

Benchmark and comparison of the accuracy of PDF417 barcode scanners. Results are shown below.

Reading Rate Performance Test Results

Engine	Reading Rate in Percentage
Dynamsoft	95.45%
ML Kit	61.36%
ZxingCPP	52.27%
Apple Vision	30.68%


Reading Rate



Speed Performance Test Results

Engine	Speed in milliseconds
Dynamsoft	586.64 ms
ML Kit	304.22 ms
ZxingCPP	127.56 ms
Apple Vision	693.96 ms

Average Time



Conclusion

Test results highlight that the Dynamsoft Barcode Reader achieves the highest reading rate and maintains good speed.






Multiple Barcode Reading Benchmark and Comparison

Evaluation of the performance of barcode scanners in reading multiple barcodes simultaneously. The findings are shown in the tables below.

Reading Rate Performance Test Results

Engine	Reading Rate in Percentage
Dynamsoft	96.5%
ZBar	62.65%
ZXing	6.61%


Reading Rate



Speed Performance Test Results

Engine	Speed in milliseconds
Dynamsoft	1171.34 ms
ZBar	740.63 ms
ZXing	217.73 ms

Average Time



Conclusion

Dynamsoft Barcode Reader has the highest reading rate despite requiring more time per image. It supports more barcode formats and excels at recognizing challenging barcodes, such as blurred, damaged, and low-light barcodes, contributing to its superior reading rate.



Unlock Barcode Power

Get started with Dynamsoft Barcode Reader SDK

